



Client: Van Isle Veterinary Hospital
Organization: info@vanislevet.com
Email: (250) 334-8400 / (250) 334-8403
Phone / fax: Claire Desrochers
Owner: Dr. Yvette MacLean
Practitioner: Bruno
Patient: Dog : Australian Labradoodle
Species/Breed: 6 Months
Age: male
Gender: 8/21/2017 5:15:03PM
Submitted Date: 8/29/2017 10:29:43AM
Completed Date:

Case status: Completed

Case notes:

Looking for a preliminary evaluation of the hips and elbows, future breeding stud

The report:

392669 KW/lb

Four digitalized radiographic images containing projections of the pelvis and elbows were submitted for evaluation. The radiographs are dated 08/21/17.

Radiographic Findings:

Both femoral heads are located in their respective acetabula and are congruous with the acetabular rims.

Greater than 50% of the femoral heads are located medial to the dorsal acetabular rims.

No osteophyte formation is present on the femoral necks or acetabula.

Alignment of the patellae with the femurs is normal.

Muscle volume in both hind legs is within normal limits.

The anconeal process of both ulnae and proximocranial aspect of both radii are smooth with no evidence of osteophyte formation.

No sclerosis is associated with the ulnar notches.

Both medial coronoid processes are smooth in contour and a fragment associated with the medial coronoid processes is not identified.

Radiologic Diagnosis: Normal pelvis and elbows.

Comments: Radiographic changes to suggest elbow or hip dysplasia are not present. Based on the OFA scheme of evaluating the hips, the hips would be rated as good in conformation. Radiographs obtained at two years of age will need to be evaluated to completely exclude elbow and hip dysplasia and to establish a final rating on the coxofemoral joints.